




□ 800mm




Material: Steel **Weight:** 31kg / PC

Dimension (units:mm)



Characteristic Curves

NO.	Pst (Pa)	Fre (Hz)	P1 (W)	I (A)
△	40	50	1560	3.34
	140	50	1650	3.65
Y	30	50	958	1.8
	65	50	973	1.85



SPECIFICATION

Model	Voltage (V)	Freq. (Hz)	Current (A)	Power (W)	Speed (RPM)	Air Flow (m3/h)	Max Environmental temperature °C	Noise (dB)
6D800Z	400	50	3.65/1.94	1650/1060	880/700	20800/15600	50	80/74


AC Axial Fan



□800mm


Material: Steel **Weight:** 36kg / PC

Dimension (units:mm)



Characteristic Curves

NO.	Pst (Pa)	Fre (Hz)	P1 (W)	I (A)
①	60	50	2650	4.4
	150	50	2700	4.5
②	40	50	1833	3.44
	120	50	1894	3.51



SPECIFICATION

Model	Voltage (V)	Freq. (Hz)	Current (A)	Power (W)	Speed (RPM)	Air Flow (m3/h)	Max Environmental temperature °C	Noise (dB)
6K800-ZX04	460	60	4.5	2700	1070	22900	50	83
6D800-ZX02	400	50	3.6	1900	875	22500	55	80





□800mm

Material: Steel **Weight:** 51kg / PC




Dimension (units:mm)



Characteristic Curves

Pst (Pa)	Fre (Hz)	P1 (W)	I (A)
60	60	2680	4.5
150	60	2750	4.6



SPECIFICATION

Model	Voltage (V)	Freq. (Hz)	Current (A)	Power (W)	Speed (RPM)	Air Flow (m3/h)	Max Environmental temperature °C	Noise (dB)
6K800-ZF02	460	60	3.8	2600	1020	25500	70	82